PAGE 01/07

JAN 0 9 2007

PTO/SB/07 (0

Approved for use through 03/31/2007. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## Certificate of Transmission under 37 CFR 1.8

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED CENTRAL FAX CENTER

JAN 0 9 2007.

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re:	Application of Prince et al.	
Serial No.:	10/766,225	A . TT ** 0.C4.4
Filed:	January 28, 2004 )	Art Unit 3644
For:	Aircraft and Missile Forebody) Flow Control Device and ) Method of Controlling Flow )	
Examiner:	Galen L. Barefoot )	

January 9, 2007

## **AMENDMENT**

Commissioner of Patents and Trademarks Washington, D.C. 20231

Dear Sir:

This is in response to the Office Action mailed November 16, 2006, having a due date for response of February 16, 2007. The following remarks are respectfully submitted.